

References –

1. Yang F, Lim GP, Begum AN, et al. Curcumin inhibits formation of amyloid beta oligomers and fibrils, binds plaques, and reduces amyloid in vivo. *J Biol Chem*. 2005 Feb 18;280(7):5892-901. [PMID: 15590663]
2. Chandran B, Goel A. A randomized, pilot study to assess the efficacy and safety of curcumin in patients with active rheumatoid arthritis. *Phytother Res*. 2012 Nov;26(11):1719-25. [PMID: 22407780]
3. Garcea G, Berry DP, Jones DJ, et al. Consumption of the putative chemopreventive agent curcumin by cancer patients: assessment of curcumin levels in the colorectum and their pharmacodynamic consequences. *Cancer Epidemiol Biomarkers Prev*. 2005 Jan;14(1):120-25. [PMID: 15668484]
4. Ghosh S, Banerjee S, Sil PC. The beneficial role of curcumin on inflammation, diabetes and neurodegenerative disease: A recent update. *Food Chem Toxicol*. 2015 Sep;83:111-24. [PMID: 26066364]
5. Sanmukhani J, Satodia V, Trivedi J, et al. Efficacy and safety of curcumin in major depressive disorder: a randomized controlled trial. *Phytother Res*. 2014 Apr;28(4):579-85. [PMID: 23832433]
6. Baum L, Lam CW, Cheung SK, et al. Six-month randomized, placebo-controlled, double-blind, pilot clinical trial of curcumin in patients with Alzheimer disease. *J Clin Psychopharmacol*. 2008 Feb;28(1):110-13. [PMID: 18204357]
7. Antony B, Merina B, Iyer VS, et al. A pilot cross-over study to evaluate human oral bioavailability of BCM-95CG (Biocurcumax), a novel bioenhanced preparation of curcumin. *Indian J Pharm Sci*. 2008 JulAug;70(4):445-9. [PMID: 20046768]
8. Honda S, Aoki F, Tanaka H, et al. Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. *J Agric Food Chem*. 2006 Nov 29;54(24):9055-62. [PMID: 17117790]
9. Singh V, Jain M, Misra A, et al. Curcuma oil ameliorates insulin resistance & associated thrombotic complications in hamster & rat. *Indian J Med Res*. 2015 Jun;141(6):823-32. [PMID: 26205026]
10. Nishiyama T, Mae T, Kishida H, et al. Curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa* L.) suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice. *J Agric Food Chem*. 2005 Feb 23;53(4):959-63. [PMID: 15713005]
11. Shishu M. Comparative bioavailability of curcumin, turmeric and Biocurcumax™ in traditional vehicles using non-everted rat intestinal sac model. *J Funct Foods*. 2010; 2(1):60-65. [on file]
12. Benny M, Antony B. Bioavailability of Biocurcumax™ (BCM-095™). *Spice India*. 2006; Sept:11-15. http://geronova.com/wp-content/uploads/2013/06/Spice_Board.pdf. Accessed September 22, 2015.

13. Buhrmann C, Kraehe P, Lueders C, et al. Curcumin suppresses crosstalk between colon cancer stem cells and stromal fibroblasts in the tumor microenvironment: potential role of EMT. *PLoS One*. 2014 Sep 19;9(9):e107514. [PMID: 25238234]
14. Shakibaei M, Buhrmann C, Kraehe P, et al. Curcumin chemosensitizes 5-fluorouracil resistant MMRdeficient human colon cancer cells in high density cultures. *PLoS One*. 2014 Jan 3;9(1):e85397. [PMID: 24404205]
15. Toden S, Okugawa Y, Jascur T, et al. Curcumin mediates chemosensitization to 5-fluorouracil through miRNA-induced suppression of epithelial-to-mesenchymal transition in chemoresistant colorectal cancer. *Carcinogenesis*. 2015 Mar;36(3):355-67. [PMID: 25653233]
16. Toden S, Okugawa Y, Buhrmann C, et al. Novel evidence for curcumin and boswellic acid-induced chemoprevention through regulation of mir-34a and mir-27a in colorectal cancer. *Cancer Prev Res (Phila)*. 2015 May;8(5):431-43. [PMID: 25712055]
17. Shakibaei M, Buhrmann C, Kraehe P, et al. Curcumin chemosensitizes 5-fluorouracil resistant MMRdeficient human colon cancer cells in high density cultures. *PLoS One*. 2014 Jan 3;9(1):e85397. [PMID: 24404205]
18. Sanmukhani J, Anovadiya A, Tripathi CB. Evaluation of antidepressant like activity of curcumin and its combination with fluoxetine and imipramine: an acute and chronic study. *Acta Pol Pharm*. 2011 SepOct;68(5):769-75. [PMID: 21928724]
19. Lopresti AL, Maes M, Meddens MJ, et al. Curcumin and major depression: a randomised, double-blind, placebo-controlled trial investigating the potential of peripheral biomarkers to predict treatment response and antidepressant mechanisms of change. *Eur Neuropsychopharmacol*. 2015 Jan;25(1):38-50. [PMID: 25523883]
20. Lopresti AL, Maes M, Maker GL, et al. Curcumin for the treatment of major depression: a randomised, double-blind, placebo controlled study. *J Affect Disord*. 2014;167:368-75. [PMID: 25046624]
21. Kizhakkedath R. Clinical evaluation of a formulation containing *Curcuma longa* and *Boswellia serrata* extracts in the management of knee osteoarthritis. *Mol Med Rep*. 2013 Nov;8(5):1542-48. [PMID: 24002213]
22. Hejazi J, Rastmanesh R, Forough-Azam T, et al. A pilot clinical trial of radioprotective effects of curcumin supplementation in patients with prostate cancer. *J Cancer Sci Ther*. 2013;5(10):320-24. <http://www.omicsonline.org/a-pilot-clinical-trial-of-radioprotective-effects-of-curcumin-supplementation-in-patientswith-prostate-cancer-1948-5956.1000222.php?aid=19259>. Accessed September 22, 2015.
23. Leray V, Freuchet B, Le Bloc'h J, et al. Effect of citrus polyphenol- and curcumin-supplemented diet on inflammatory state in obese cats. *Br J Nutr*. 2011 Oct;106 Suppl 1:S198-201. [PMID: 22005428]
24. Horohov D, Sinatra S, Chopra R, et al. The effect of exercise and nutritional supplementation on proinflammatory cytokine expression in young racehorses during training. *J Equine Vet Sci*. 2012; 32:805- 15. <http://www.equinenuitricentials.com/pdf/Exercise-inflammation-paper-with-back.pdf>. Accessed September 22, 2015.

25. Yan J, Katz AE. ProstaCaid induces G2/M cell cycle arrest and apoptosis in human and mouse androgendependent and-independent prostate cancer cells. *Integr Cancer Ther.* 2010 Jun;9(2):186-96. [PMID: 20587444]
26. Jiang J, Eliaz I, Sliva D. Suppression of growth and invasive behavior of human prostate cancer cells by ProstaCaid™: mechanism of activity. *Int J Oncol.* 2011 Jun;38(6):1675-82. [PMID: 21468543]
27. Jiang J, Loganathan J, Eliaz I, et al. ProstaCaid inhibits tumor growth in a xenograft model of human prostate cancer. *Int J Oncol.* 2012 May;40(5):1339-44. [PMID: 22293856]
28. Jiang J, Wojnowski R, Jedinak A, et al. Suppression of proliferation and invasive behavior of human metastatic breast cancer cells by dietary supplement BreastDefend. *Integr Cancer Ther.* 2011 Jun;10(2):192-200. [PMID: 20926736]
29. Baum L, Cheung SK, Mok VC, et al. Curcumin effects on blood lipid profile in a 6-month human study. *Pharmacol Res.* 2007 Dec;56(6):509-14. [PMID: 17951067]
30. Cheng AL, Hsu CH, Lin JK, et al. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res.* 2001 Jul-Aug;21(4B):2895-900. [PMID: 11712783]